



LUCIDE®

# LUMINOUS EFFICIENCY




STANDARD	HALOGEN	ENERGY SAVING	LED	LUMEN
7 W			1,2 W	50 lm
15 W				100 lm
	18 W			150 lm
25 W		5 W	2 W	200 lm
	28 W		3 W	300 lm
40 W		8 W	6 W	400 lm
			8 W	500 lm
	42 W	11 W		600 lm
60 W		13 W		700 lm
		15 W		800 lm
	52 W			850 lm
75 W		16 W	10 W	900 lm
		18 W		1100 lm
100 W	70 W	22 W		1300 lm
		25 W		1500 lm
		28 W		1800 lm
	105 W			1900 lm
150 W		33 W		2100 lm

# CONTENT

LED	4-12
ENERGY SAVING	13-24
FLUO	25-32
HALOGEN	33-41
SPECIAL	42-46
DISPLAY	47-50
SUMMARY	51-55





LED

# SMD LED GU10



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50418/13/31	GU10	5W	Warm white	3000 K	320 lm	38°	30.000 H	3	10	A+
50418/13/36	GU10	5W	Warm white	3000 K	320 lm	38°	30.000 H	3	10	A+



# SMD LED GU10



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
49000/13/30	GU10	4,5W	Warm white	3000 K	320 lm	45°	30.000 H	3	10	A+
49000/13/31	GU10	4,5W	Warm white	3000 K	320 lm	45°	30.000 H	3	10	A+
49000/13/36	GU10	4,5W	Warm white	3000 K	320 lm	45°	30.000 H	3	10	A+
49000/05/30	GU10	4,5W	Warm white	3000 K	320 lm	45°	30.000 H	1	10	A+
49000/05/31	GU10	4,5W	Warm white	3000 K	320 lm	45°	30.000 H	1	10	A+
49000/05/36	GU10	4,5W	Warm white	3000 K	320 lm	45°	30.000 H	1	10	A+



single blister = 49000/05/..



# SMD LED GU10



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50412/13/31	GU10	3W	Warm white	3000 K	200 lm	120°	15.000 H	3	10	A+



# SMD LED GU10



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
49001/13/31	GU10	3W	Warm white	3000 K	220 lm	160°	30.000 H	3	10	A+



# COB LED GU10



**LED**  
LIGHT EMITTING DIODE

Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50422/05/31	GU10	5W	Warm white	3000 K	370 lm	38°	30.000 H	1	10	A+



# HP LED GU10



**LED**  
LIGHT EMITTING DIODE

Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50426/04/31	GU10	5W	Warm white	2800 K	350 lm	38°	30.000 H	1	10	A+
50426/04/33	GU10	5W	Cold white	4000 K	350 lm	38°	30.000 H	1	10	A+
50426/13/31	GU10	5W	Warm white	2800 K	350 lm	38°	30.000 H	3	10	A+





# SMD & COB LED G9



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50460/13/60	G9	3W	Warm white	3000 K	220 lm	360°	15.000 H	3	10	A+
50461/13/60	G9	3W	Warm white	3000 K	220 lm	180°	15.000 H	3	10	A+



50460/13/60 (SMD)



50461/13/60 (COB)



# SMD LED E14



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50413/13/31	E14	4W	Warm white	3000 K	370 lm	120°	30.000 H	3	10	A+
50413/04/31	E14	4W	Warm white	3000 K	370 lm	120°	30.000 H	1	10	A+



# SMD LED E27 STANDARD



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50420/04/60	E27	4W	Warm white	3000 K	400 lm	360°	15.000 H	1	5	A+
50420/04/67	E27	4W	Warm white	3000 K	400 lm	360°	15.000 H	1	5	A+



# SMD LED E27 BALL



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50451/03/60	E27	3W	Warm white	3000 K	300 lm	360°	15.000 H	1	10	A+
50451/03/67	E27	3W	Warm white	3000 K	300 lm	360°	15.000 H	1	10	A+



# SMD LED E14 BALL



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50450/03/60	E14	3W	Warm white	3000 K	300 lm	360°	15.000 H	1	10	A+
50450/03/67	E14	3W	Warm white	3000 K	300 lm	360°	15.000 H	1	10	A+



# SMD & COB LED E14 CANDLE



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50452/03/60 (COB)	E14	2W	Warm white	3000 K	180 lm	360°	15.000 H	1	10	A+
50452/03/67 (SMD)	E14	3W	Warm white	3000 K	300 lm	360°	15.000 H	1	10	A+



(COB)



(SMD)



# SMD & COB LED E14 CANDLE FLAME



**LED**  
LIGHT EMITTING DIODE


Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50453/03/60 (COB)	E14	2W	Warm white	3000 K	180 lm	360°	15.000 H	1	10	A+
50453/03/67 (SMD)	E14	3W	Warm white	3000 K	300 lm	360°	15.000 H	1	10	A+



(COB)



(SMD)





# ENERGY SAVING

# ENERGY SAVING CANDLE BULBS



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50415/05/31	E14	5W	Warm white	2700 K	175 lm	-	8.000 H	1	6	B
50415/09/31	E14	9W	Warm white	2700 K	350 lm	-	8.000 H	1	6	B



# ENERGY SAVING SPIRAL BULBS



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50434/09/31	E14	9W	Warm white	2700 K	415 lm	-	8.000 H	1	6	A
50434/11/31	E14	11W	Warm white	2700 K	550 lm	-	8.000 H	1	6	A



# ENERGY SAVING STANDARD



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50428/08/31	E27	8W	Warm white	2700 K	380 lm	-	8.000 H	1	6	B
50428/11/31	E27	11W	Warm white	2700 K	425 lm	-	8.000 H	1	6	B



# ENERGY SAVING SPIRAL BULBS



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50435/20/31	E27	20W	Warm white	2700 K	1200 lm	-	8.000 H	1	6	A
50435/24/31	E27	24W	Warm white	2700 K	1450 lm	-	8.000 H	1	6	A



# ENERGY SAVING SPOT R50 - R63



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50432/08/31	E14	8W	Warm white	2700 K	380 lm	-	8.000 H	1	6	A
50433/11/31	E27	11W	Warm white	2700 K	425 lm	-	8.000 H	1	6	A



# ENERGY SAVING CLASSIC



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50427/09/31	E27	9W	Warm white	2700 K	450 lm	-	8.000 H	1	6	A
50427/11/31	E27	11W	Warm white	2700 K	550 lm	-	8.000 H	1	6	A
50427/14/31	E27	14W	Warm white	2700 K	750 lm	-	8.000 H	1	6	A
50427/18/31	E27	18W	Warm white	2700 K	1050 lm	-	8.000 H	1	6	A
50427/24/31	E27	24W	Warm white	2700 K	1450 lm	-	8.000 H	1	6	A





# ENERGY SAVING GLOBE



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50430/15/31	E27	15W	Warm white	2700 K	700 lm	-	8.000 H	1	6	A
50430/20/31	E27	20W	Warm white	2700 K	900 lm	-	8.000 H	1	6	A
50430/24/31	E27	24W	Warm white	2700 K	1100 lm	-	8.000 H	1	6	A



# ENERGY SAVING G9



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/box	Packing	Class
50440/07/31	G9	7W	Warm white	2700 K	170 lm	-	8.000 H	1	10	B



# ENERGY SAVING GU10



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/box	Packing	Class
50417/07/31	GU10	7W	Warm white	2700 K	230 lm	62°	8.000 H	1	10	B



# ENERGY SAVING G9



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/box	Packing	Class
50441/09/31	G9	9W	Warm white	2700 K	333 lm	-	8.000 H	1	10	A
50441/09/33	G9	9W	Cool White	4000 K	333 lm	-	8.000 H	1	10	A



# ENERGY SAVING GU10



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50444/07/31	GU10	7W	Warm white	2700 K	230 lm	62°	8.000 H	1	10	B



# ENERGY SAVING GU10



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50445/08/31	GU10	8W	Warm white	2700 K	160 lm	117°	8.000 H	1	10	B
50445/08/33	GU10	8W	Cool White	6500 K	160 lm	117°	8.000 H	1	10	B



# ENERGY SAVING GU10



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50446/07/31	GU10	7W	Warm white	2700 K	230 lm	62°	8.000 H	1	10	B



# ENERGY SAVING GU10



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50447/09/31	GU10	9W	Warm white	2700 K	405 lm	-	8.000 H	1	10	A



# ENERGY SAVING GU10



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50442/09/31	GU10	9W	Warm white	2700 K	210 lm	108°	8.000 H	1	10	B



# ENERGY SAVING GU10



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50442/11/33	GU10	11W	Cool White	6500 K	255 lm	108°	8.000 H	1	10	B



# ENERGY SAVING GU10

Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50448/11/31	GU10	11W	Warm white	2700 K	340 lm	100°	8.000 H	1	10	B



# ENERGY SAVING GX53



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50401/09/31	GX53	9W	Warm white	2700 K	310 lm	106°	8.000 H	1	10	B
50401/09/32	GX53	9W	Cool White	4000 K	310 lm	106°	8.000 H	1	10	B
50401/09/33	GX53	9W	Cool White	6500 K	310 lm	106°	8.000 H	1	10	B







# FLUORESCENT BULBS



## FLUORESCENT BULBS T5 - 8W - 30CM

Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/box	Packing	Class
50105/08/31	T5	8W	Warm white	2700 K	490 lm	-	8.000 H	1	10	A
50105/08/33	T5	8W	Cool White	4000 K	490 lm	-	8.000 H	1	10	A



## FLUORESCENT BULBS T5 - 13W - 53 CM

Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/box	Packing	Class
50105/13/31	T5	13W	Warm white	2700 K	920 lm	-	8.000 H	1	10	A
50105/13/33	T5	13W	Cool White	4000 K	920 lm	-	8.000 H	1	10	A



## FLUORESCENT BULBS T5 - 21W - 86,5 CM

Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/box	Packing	Class
50105/21/31	T5	21W	Warm white	2700 K	1850 lm	-	15.000 H	1	10	A
50105/21/33	T5	21W	Cool White	4000 K	1850 lm	-	15.000 H	1	10	A



## FLUORESCENT BULBS T5 - 28W - 116 CM

Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/box	Packing	Class
50105/28/31	T5	28W	Warm white	2700 K	2470 lm	-	15.000 H	1	10	A
50105/28/33	T5	28W	Cool White	4000 K	2470 lm	-	15.000 H	1	10	A



# FLUORESCENT BULBS T8 - 18W - 60 CM

Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/box	Packing	Class
50108/18/31	T8	18W	Warm white	2700 K	1560 lm	-	12.000 H	1	10	A
50108/18/33	T8	18W	Cool White	4000 K	1560 lm	-	12.000 H	1	10	A



# FLUORESCENT BULBS T8 - 36W - 120 CM

Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/box	Packing	Class
50108/36/31	T8	36W	Warm white	2700 K	3450 lm	-	12.000 H	1	10	A
50108/36/33	T8	36W	Cool White	4000 K	3450 lm	-	12.000 H	1	10	A



# FLUORESCENT BULBS T8 - 58W - 150 CM

Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/box	Packing	Class
50108/58/31	T8	58W	Warm white	2700 K	5400 lm	-	12.000 H	1	10	A
50108/58/33	T8	58W	Cool White	4000 K	5400 lm	-	12.000 H	1	10	A




## STARTER

Art. number	Watt	Box	Packing
50004/22/00	22W	2	25
50004/65/00	65W	2	25



# FLUORESCENT BULBS CIRCLINE T5 - 22W - Ø 22,5 CM


Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/box	Packing	Class
50105/22/31	T5	22W	Warm white	2700 K	1710 lm	-	8.000 H	1	10	A
50105/22/33	T5	22W	Cool White	4000 K	1710 lm	-	8.000 H	1	10	A



2pins 2sides

# FLUORESCENT BULBS CIRCLINE T5 - 32W - Ø 24,4 CM




Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/box	Packing	Class
50105/32/31	T5	32W	Warm white	2700 K	2550 lm	-	8.000 H	1	10	A
50105/32/33	T5	32W	Cool White	4000 K	2550 lm	-	8.000 H	1	10	A



2pins 2sides

# FLUORESCENT BULBS CIRCLINE T5 - 40W - Ø 29,9 CM


Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/box	Packing	Class
50105/40/31	T5	40W	Warm white	2700 K	3250 lm	-	8.000 H	1	10	A
50105/40/33	T5	40W	Cool White	4000 K	3250 lm	-	8.000 H	1	10	A



2pins 2sides

# FLUORESCENT BULBS CIRCLINE T8

Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/box	Packing	Class
50300/22/31	T8	22W	Warm white	2700 K	980 lm	-	6.000 H	1	30	B
50300/22/33	T8	22W	Cool White	4000 K	980 lm	-	6.000 H	1	30	B
50300/32/31	T8	32W	Warm white	2700 K	1850 lm	-	6.000 H	1	20	B
50300/40/31	T8	40W	Warm white	2700 K	2300 lm	-	6.000 H	1	20	B



4pins one side

22W = Ø 21,6 cm  
32W = Ø 30,2 cm  
40W = Ø 40 cm







# HALOGEN

# HALOGEN ENERGY SAVING STANDARD



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50427/42/60	E27	42W	Warm white	2700 K	650 lm	-	2.000 H	1	10	C

SAVE  
30%



# HALOGEN ENERGY SAVING CANDLE



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50414/28/60	E14	28W	Warm white	2700 K	370 lm	-	2.000 H	1	10	C

SAVE  
30%



# HALOGEN ENERGY SAVING CANDLE FLAME



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50415/28/60	E14	28W	Warm white	2700 K	370 lm	-	2.000 H	1	10	C

SAVE  
30%



# HALOGEN ENERGY SAVING R50



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50416/42/60	E14	42W	Warm white	2700 K	650 lm	-	2.000 H	1	10	C

SAVE  
30%



# HALOGEN ENERGY SAVING GLOBE



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/box	Packing	Class
50428/42/60	E27	42W	Warm white	2700 K	650lm	-	2.000 H	1	10	C



SAVE  
30%



# HALOGEN LAMPS 220 - 240V G9 - C CLASS



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50225/18/60	G9	18W	Warm white	2700 K	205 lm	-	2.000 H	2	20	C
50225/28/60	G9	28W	Warm white	2700 K	370 lm	-	2.000 H	2	20	C
50225/42/60	G9	42W	Warm white	2700 K	630 lm	-	2.000 H	2	20	C

SAVE  
30%



# HALOGEN LAMPS 220 - 240V GU10

Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50222/28/60	GU10	28W	Warm white	2700 K	-	38°	1.000 H	2	10	C
50222/42/60	GU10	42W	Warm white	2700 K	-	38°	1.000 H	2	10	C

SAVE  
30%



# HALOGEN LAMPS 220 - 240V GU10 - 35MM



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50221/28/60	GU10	28W	Warm white	2700 K	-	38°	1.000 H	2	10	C

SAVE  
30%



# HALOGEN LAMPS 12V MR11

Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50236/12/20	GU4	20W	Warm white	2900 K	500 lm	20°	2.000 H	2	10	C
50236/12/35	GU4	35W	Warm white	2900 K	900 lm	20°	2.000 H	2	10	C



# HALOGEN LAMPS 12V MR16

Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50233/12/20	GU5,3	20W	Warm white	2900 K	460 lm	38°	2.000 H	2	10	C
50233/12/35	GU5,3	35W	Warm white	2900 K	730 lm	38°	2.000 H	2	10	C
50233/12/50	GU5,3	50W	Warm white	2900 K	1500 lm	38°	2.000 H	2	10	C



# HALOGEN LAMPS 12V G4

Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50231/12/05	G4	5W	Warm white	2900 K	50 lm	-	2.000 H	2	25	C
50231/12/10	G4	10W	Warm white	2900 K	120 lm	-	2.000 H	2	25	C
50231/12/15	G4	15W	Warm white	2900 K	150 lm	-	2.000 H	2	25	C
50231/12/20	G4	20W	Warm white	2900 K	300 lm	-	2.000 H	2	25	C



# HALOGEN LAMPS 12V GY 6,35

Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50231/12/35	GY6,35	35W	Warm white	2900 K	600 lm	-	2.000 H	2	25	C
50231/12/50	GY6,35	50W	Warm white	2900 K	950 lm	-	2.000 H	2	25	C



# HALOGEN LAMPS 220 - 240V R7S - 78MM

Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50210/00/60	R7S	60W	Warm white	2700 K	1600 lm	-	1.000 H	2	20	D



# HALOGEN LAMPS 220 - 240V R7S - 78MM



Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50410/01/20	R7S	120W	Warm white	2700 K	2220 lm	-	1.000 H	2	10	C





# HALOGEN LAMPS 220 - 240V R7S - 118MM

Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing	Class
50410/02/30	R7S	230W	Warm white	2700 K	4650 lm	-	1.000 H	2	10	C
50410/04/00	R7S	400W	Warm white	2700 K	8550 lm	-	1.000 H	2	10	C





The background is a deep, dark blue gradient. It features several glowing white lines that curve and intersect, creating a sense of motion and depth. There are also several bright, circular lens flare effects scattered across the scene, adding to the futuristic and high-tech aesthetic.

# SPECIAL BULBS

# SPECIAL BULBS OVEN

Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing
50214/15/60	E14	15W	Clear	2700 K	60 lm	-	1.000 H	1	25



# SPECIAL BULBS MICROWAVE OVEN

Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing
50214/25/60	E14	25W	Clear	2700 K	60 lm	-	1.000 H	1	25



## SPECIAL BULBS FRIDGE

Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing
50215/15/60	E14	15W	Clear	2700 K	60 lm	-	1.000 H	1	25



## SPECIAL BULBS SEWING MACHINE

Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing
50215/20/60	E14	20W	Clear	2700 K	60 lm	-	1.000 H	1	25



## SPECIAL BULBS NIGHTLIGHT E14

Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing
50317/07/61	E14	7,5W	Satin	2700 K	-	-	1.000 H	1	25



## SPECIAL BULBS COOKER HOOD

Art. number	Fitting	Watt	Color	Kelvin	Lumen	Beam-Angle	Lifetime	Bulb/blister	Packing
50215/25/60	E14	25W	Clear	2700 K	120 lm	-	1.000 H	1	25
50215/40/60	E14	40W	Clear	2700 K	180 lm	-	1.000 H	1	25



# DISPLAYS

# DISPLAY

Art. number

98055/00/01



# DISPLAY

Art. number

98055/00/02





# DISPLAY

Art. number

98067/00/11



# LIGHTING GUIDE

## LIGHT FLUX


**Unit :** Lumen (lm)

**Definition:** Total light output of a source emitted in all directions

**Usage:** Relevant for non-directional lighting, it is the unit used to calculate equivalence to incandescence and classify source in energy label directive.

It is the only unit that can be used alone to compare light sources

**Measurement:** The source is placed at the center of an integrated sphere where a photometric sensor will make the sum of the light emitted in all directions against the inner surface




## BEAM ANGLE

**Unit :** Degree (°)

**Definition:** Angle of the emitting light from the source

**Usage:** Relevant to select the source based on the needs. Spot beam angle for accent lighting, Flood for accent or main lighting and Very Wide Flood for main lighting

**Measurement:** Angle within which the light intensity is above 50% of the maximum. Measured in the goniophotometer.




## CORRELATED COLOR TEMPERATURE (CCT)

**Unit :** Degree Kelvin (K)

**Definition:** Color appearance of the light

**Usage:** Relevant to select light source for different usage. For home and hospitality, warm white is preferred. Therefore 3000K for LED and 2700K for CFL has been defined. Below 3000K, the color temperature of LED cannot be well controlled

**Measurement:** The integrated sphere will analyze the emitted wave length to determine the color temperature



# SUMMARY

PRODUCTNUMBER	PAGE
49000/05/30	6
49000/05/31	6
49000/05/36	6
49000/13/30	6
49000/13/31	6
49000/13/36	6
49001/13/31	7
50004/22/00	29
50004/65/00	29
50105/08/31	26
50105/08/33	26
50105/13/31	26
50105/13/33	26
50105/21/31	27
50105/21/33	27
50105/22/31	30
50105/22/33	30
50105/28/31	27
50105/28/33	27
50105/32/31	30
50105/32/33	30
50105/40/31	31
50105/40/33	31
50108/18/31	28
50108/18/33	28
50108/36/31	28
50108/36/33	28
50108/58/31	29
50108/58/33	29
50210/00/60	40
50214/15/60	44
50214/25/60	44
50215/15/60	45
50215/20/60	45
50215/25/60	46
50215/40/60	46
50221/28/60	37
50222/28/60	37

PRODUCTNUMBER	PAGE
50222/42/60	37
50225/18/60	36
50225/28/60	36
50225/42/60	36
50231/12/05	39
50231/12/10	39
50231/12/15	39
50231/12/20	39
50231/12/35	39
50231/12/50	39
50233/12/20	38
50233/12/35	38
50233/12/50	38
50236/12/20	38
50236/12/35	38
50300/22/31	31
50300/22/33	31
50300/32/31	31
50300/40/31	31
50317/07/61	46
50401/09/31	23
50401/09/32	23
50401/09/33	23
50410/01/20	40
50410/02/30	41
50410/04/00	41
50412/13/31	7
50413/04/31	9
50413/13/31	9
50414/28/60	34
50415/05/31	14
50415/09/31	14
50415/28/60	35
50416/42/60	35
50417/07/31	19
50418/13/31	6
50418/13/36	6
50420/04/60	10

PRODUCTNUMBER	PAGE
50420/04/67	10
50422/05/31	8
50426/04/31	8
50426/04/33	8
50426/13/31	8
50427/09/31	16
50427/11/31	16
50427/14/31	16
50427/18/31	16
50427/24/31	16
50427/42/60	34
50428/08/31	15
50428/11/31	15
50428/42/60	36
50430/15/31	17
50430/20/31	17
50430/24/31	17
50432/08/31	16
50433/11/31	16
50434/09/31	14
50434/11/31	14
50435/20/31	15
50435/24/31	15
50440/07/31	18
50441/09/31	19
50441/09/33	19
50442/09/31	22
50442/11/33	22
50444/07/31	20
50445/08/31	20
50445/08/33	20
50446/07/31	21
50447/09/31	21
50448/11/31	23
50450/03/60	11
50450/03/67	11
50451/03/60	10
50451/03/67	10

PRODUCTNUMBER	PAGE
50452/03/60	11
50452/03/67	11
50453/03/60	12
50453/03/67	12
50460/13/60	9
50461/13/60	9
98055/00/01	48
98055/00/02	48
98067/00/11	49

# NOTES

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---







**LUCIDE BELGIUM**  
Bisschoppenhoflaan 145  
B-2100 Antwerpen-  
Belgium  
Tel. : 0032(0)3 366 22 04  
Fax: 0032(0)3 366 21 91  
[info@lucide.be](mailto:info@lucide.be)



[info@lucide-light.ru](mailto:info@lucide-light.ru)  
+7 495 989-64-60

[WWW.LUCIDE-LIGHT.RU](http://WWW.LUCIDE-LIGHT.RU)